

10/536982
JC09 Rec'd PCT/PTO 31 MAY 2005

Please type a plus sign (+) inside this box ?

+

PTO/SB/08A (10-98)

Approved for use through 10/31/99 OMB 0651-0031

Approved for use through 10/31/2005 GPO:2005-100
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Use of this form is mandatory unless it displays a valid GPO control number.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

<p>Substitute for form 1449A/PTO</p> <p>INFORMATION DISCLOSURE STATEMENT BY APPLICANT</p> <p><i>(use as many sheets as necessary)</i></p>				<p>Complete If Known</p>	
<p>Application Number</p>		<p>Not Yet Known</p>			
<p>Filing Date</p>		<p>Herewith</p>			
<p>First Named Inventor</p>		<p>LEWKOWICZ, Shlomo</p>			
<p>Group Art Unit</p>		<p>Not Yet Known</p>			
<p>Examiner Name</p>		<p>Not Yet Known</p>			
<p>Sheet</p>		<p>1</p>		<p>of</p>	
<p>2</p>		<p>Attorney Docket Number</p>		<p>P-4433-US</p>	

U.S. PATENT DOCUMENTS

FOREIGN PATENT DOCUMENTS

**EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.*

¹ Unique citation designation number. ² See attached Kinds of U.S. Patent Documents. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached

Burden Hour Statement: This form is estimated to take 20 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office Washington DC 20231
DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington DC 20231

Best Available Copy

10/536982

JC09 Rec' CT/PTO 31 MAY 2005

Please type a plus sign (+) inside this box ?

+

PTO/SB/08A (10-98)


Approved for use through 10/31/99 OMB 0651-0031

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995 no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Substitute for form 1449B/PTO				Complete If Known	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT <i>(use as many sheets as necessary)</i>				Application Number	Not Yet Known
				Filing Date	Herewith
				First Named Inventor	LEWKOWICZ, Shlomo
				Group Art Unit	Not Yet Known
				Examiner Name	Not Yet Known
Sheet	2	of	2	Attorney Docket Number	P-4433-US

NON PATENT LITERATURE DOCUMENTS					
Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (where appropriate), title of the item (book, magazine, journal, serial, symposium, catalog etc), date, page(s) volume-issue number(s) publisher, city and/or country where published.			T ²
	K	International Search Report International Filing Date: November 30 2003			<input type="checkbox"/>
	L	Davies, et al., Detection of the Cancer-Prone Colon Using Transepithelial Impedance Analysis Arch Surg Vol. 124 April 1989 pp 480-484			<input type="checkbox"/>
	M	Park, et al., "A Technique for Position Detection of Miniatured Wireless Telemetry Module in the Human Body", Proceedings of the 32nd ISR (International Symposium on Robotics) April 19-21 2001 pp. 1888-1892			<input type="checkbox"/>
	N	An endogastric capsule for measuring tumor markers in gastric juice: an evaluation of the safety and efficacy of a new diagnostic tool			<input type="checkbox"/>
	O	Blad B. et al Impedance spectra of tumor tissue in comparison with normal tissue; a possible clinical application for electrical impedance tomography, Physiological Measurements, Vol. 17, November 1996, pp 105-115			<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
	AM				<input type="checkbox"/>

Examiner Signature		Date Considered	4/27/07
--------------------	---	-----------------	---------

* EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number ² Applicant is to place a check mark here if English language Translation is attached

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Best Available Copy